BRAIN RESEARCH

VOL. 698 NOS. 1,2 CONTENTS 6 NOVEMBER 1995

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Müller cell changes precede photoreceptor cell degeneration in the age-related retinal degeneration of the Fischer 344 rat
D.A. DiLoreto Jr., M.R. Martzen, C. Del Cerro, P.D. Coleman and M. Del Cerro (USA) 1

Alteration of OBCAM conformation as a result of opioid receptor expression and opioid ligand treatment
C.M. Lane, C.R.N. Jones, T. Reisine, L. Yu and N.M. Lee (USA) 15

Opioid antagonists naloxone, β-funaltrexamine and naltrindole, but not nor-binaltorphimine, reverse the increased hindpaw withdrawal latency in rats induced by intrathecal administration of the calcitonin gene-related peptide antagonist $CGRP_{8-37}$
L.-C. Yu, P. Hansson and T. Lundeberg (Sweden, Peoples Republic of China) 23

The effects of (−)- and (+)-β-cyclazocine on NMDA-evoked responses and NMDA-mediated cell damage in cultured rat hippocampal neurons
D.C. Sawyer, J.G. McLarnon and J. Church (Canada) 30

Concurrent analysis of neuropeptides and biogenic amines in brain tissue of rats treated with electroconvulsive stimuli
C. Stenfors, P. Bjellerup, A.A. Mathé and E. Theodorsson (Sweden) 39

Social stress increases the acquisition of cocaine self-administration in male and female rats
M. Haney, S. Maccari, M. Le Moal, H. Simon and P.V. Piazza (France) 46

A relationship between substance P receptor and retinal fibers in the rat suprachiasmatic nucleus
K. Takatsuji, E. Senba, P.W. Mantyh and M. Tohyama (Japan, USA) 53

The role of $GABA_A$ receptors in the subsensitivity of Purkinje neurons to GABA in genetic epilepsy prone rats
E.M. Gould, K.A. Curto, C.R. Craig, W.W. Fleming and D.A. Taylor (USA) 62

Effects of chronic opiate and opioid antagonist treatment on striatal opioid peptides
K.A. Trujillo, D.M. Bronstein, I.O. Sanchez and H. Akil (USA) 69

Postischemic treatment (2–4 h) with anti-CD11b and anti-CD18 monoclonal antibodies are neuroprotective after transient (2 h) focal cerebral ischemia in the rat
Z.G. Zhang, M. Chopp, W.X. Tang, N. Jiang and R.L. Zhang (USA) 79

Oligodendroglial precursor cell susceptibility to hypoxia is related to poor ability to cope with reactive oxygen species
J. Husain and B.H.J. Juurlink (Canada) 86

Calcitonin gene-related peptide (CGRP) and the regulation of cerebral parenchymal vessels
M. Kobari, Y. Fukuuchi, M. Tomita, N. Tanahashi, H. Takeda and M. Yokoyama (Japan) 95

Activation of phosphatidylinositol bisphosphate signal transduction pathway after experimental brain injury: a lipid study
H.S. Dhillon, T. Carbary, J. Dose, R.J. Dempsey and M.R. Prasad (USA) 100

Glucoprivic treatments that induce anestrus, but do not affect food intake, increase FOS-like immunoreactivity in the area postrema and nucleus of the solitary tract in Syrian hamsters
J.E. Schneider, B.C. Finnerty, J.M. Swann and J.M. Gabriel (USA) 107

Extracellular glutamate in the nucleus accumbens during a conditioned emotional response in the rat
N. Saulskaya and C.A. Marsden (United Kingdom) 114

The role of norepinephrine in mediating luteinizing hormone release in response to blockade of κ-opioid receptors in the medial preoptic area
S. Zhen and R.V. Gallo (USA) 121

Distal tibial mononeuropathy in diabetic and nondiabetic rats reared on wire cages: an experimental entrapment neuropathy
D.W. Zochodne, M.M. Murray, P. Van der Sloot and R.J. Riopelle (Canada) 130

Cellular colocalization of Fos and neuropeptide Y in the intergeniculate leaflet after nonphotic phase-shifting events
D. Janik, J.D. Mikkelsen and N. Mrosovsky (Canada, Denmark) 137

Differential sensitivity of [^{3}H]7-OH-DPAT-labeled binding sites in rat brain to inactivation by *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline
B. Levant (USA) 146

Blockade of both epileptogenesis and glutamate release by (1S,3S)-ACPD, a presynaptic glutamate receptor agonist
P.J.E. Attwell, S. Kaura, G. Sigala, H.F. Bradford, M.J. Croucher, D.E. Jane and J.C. Watkins (UK) 155

The role of nitric oxide in facial motoneuronal death
R.-S. Ruan, S.-K. Leong and K.-H. Yeoh (Singapore) 163

Metabotropic glutamate receptor inhibition of visceral afferent potassium currents
M. Hay and K.A. Lindsley (USA) 169

Autoradiographic analysis of the regional distribution of Glut3 glucose transporters in the rat brain
K. Zeller, R. Duelli, J. Vogel, H. Schröck and W. Kuschinsky (Germany) 175

Long-term changes in entorhinal-dentate evoked potentials induced by electroconvulsive shock seizures in rats
W. McIntyre Burnham, G.A. Cottrell, D. Diosy and R.J. Racine (Canada) 180

(contents continued on p. 290)

0006-8993(19951106)698:1/2;1-9

BRAIN RESEARCH

VOL. 698 NOS. 1,2 CONTENTS 6 NOVEMBER 1995

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Müller cell changes precede photoreceptor cell degeneration in the age-related retinal degeneration of the Fischer 344 rat
D.A. DiLoreto Jr., M.R. Martzen, C. Del Cerro, P.D. Coleman and M. Del Cerro (USA) 1

Alteration of OBCAM conformation as a result of opioid receptor expression and opioid ligand treatment
C.M. Lane, C.R.N. Jones, T. Reisine, L. Yu and N.M. Lee (USA) 15

Opioid antagonists naloxone, β-funaltrexamine and naltrindole, but not nor-binaltorphimine, reverse the increased hindpaw withdrawal latency in rats induced by intrathecal administration of the calcitonin gene-related peptide antagonist $CGRP_{8-37}$
L.-C. Yu, P. Hansson and T. Lundeberg (Sweden, Peoples Republic of China) 23

The effects of (−)- and (+)-β-cyclazocine on NMDA-evoked responses and NMDA-mediated cell damage in cultured rat hippocampal neurons
D.C. Sawyer, J.G. McLarnon and J. Church (Canada) 30

Concurrent analysis of neuropeptides and biogenic amines in brain tissue of rats treated with electroconvulsive stimuli
C. Stenfors, P. Bjellerup, A.A. Mathé and E. Theodorsson (Sweden) 39

Social stress increases the acquisition of cocaine self-administration in male and female rats
M. Haney, S. Maccari, M. Le Moal, H. Simon and P.V. Piazza (France) 46

A relationship between substance P receptor and retinal fibers in the rat suprachiasmatic nucleus
K. Takatsuji, E. Senba, P.W. Mantyh and M. Tohyama (Japan, USA) 53

The role of $GABA_A$ receptors in the subsensitivity of Purkinje neurons to GABA in genetic epilepsy prone rats
E.M. Gould, K.A. Curto, C.R. Craig, W.W. Fleming and D.A. Taylor (USA) 62

Effects of chronic opiate and opioid antagonist treatment on striatal opioid peptides
K.A. Trujillo, D.M. Bronstein, I.O. Sanchez and H. Akil (USA) 69

Postischemic treatment (2–4 h) with anti-CD11b and anti-CD18 monoclonal antibodies are neuroprotective after transient (2 h) focal cerebral ischemia in the rat
Z.G. Zhang, M. Chopp, W.X. Tang, N. Jiang and R.L. Zhang (USA) 79

Oligodendroglial precursor cell susceptibility to hypoxia is related to poor ability to cope with reactive oxygen species
J. Husain and B.H.J. Juurlink (Canada) 86

Calcitonin gene-related peptide (CGRP) and the regulation of cerebral parenchymal vessels
M. Kobari, Y. Fukuuchi, M. Tomita, N. Tanahashi, H. Takeda and M. Yokoyama (Japan) 95

Activation of phosphatidylinositol bisphosphate signal transduction pathway after experimental brain injury: a lipid study
H.S. Dhillon, T. Carbary, J. Dose, R.J. Dempsey and M.R. Prasad (USA) 100

Glucoprivic treatments that induce anestrus, but do not affect food intake, increase FOS-like immunoreactivity in the area postrema and nucleus of the solitary tract in Syrian hamsters
J.E. Schneider, B.C. Finnerty, J.M. Swann and J.M. Gabriel (USA) 107

Extracellular glutamate in the nucleus accumbens during a conditioned emotional response in the rat
N. Saulskaya and C.A. Marsden (United Kingdom) 114

The role of norepinephrine in mediating luteinizing hormone release in response to blockade of κ-opioid receptors in the medial preoptic area
S. Zhen and R.V. Gallo (USA) 121

Distal tibial mononeuropathy in diabetic and nondiabetic rats reared on wire cages: an experimental entrapment neuropathy
D.W. Zochodne, M.M. Murray, P. Van der Sloot and R.J. Riopelle (Canada) 130

Cellular colocalization of Fos and neuropeptide Y in the intergeniculate leaflet after nonphotic phase-shifting events
D. Janik, J.D. Mikkelsen and N. Mrosovsky (Canada, Denmark) 137

Differential sensitivity of [^{3}H]7-OH-DPAT-labeled binding sites in rat brain to inactivation by *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline
B. Levant (USA) 146

Blockade of both epileptogenesis and glutamate release by (1S,3S)-ACPD, a presynaptic glutamate receptor agonist
P.J.E. Attwell, S. Kaura, G. Sigala, H.F. Bradford, M.J. Croucher, D.E. Jane and J.C. Watkins (UK) 155

The role of nitric oxide in facial motoneuronal death
R.-S. Ruan, S.-K. Leong and K.-H. Yeoh (Singapore) 163

Metabotropic glutamate receptor inhibition of visceral afferent potassium currents
M. Hay and K.A. Lindsley (USA) 169

Autoradiographic analysis of the regional distribution of Glut3 glucose transporters in the rat brain
K. Zeller, R. Duelli, J. Vogel, H. Schröck and W. Kuschinsky (Germany) 175

Long-term changes in entorhinal-dentate evoked potentials induced by electroconvulsive shock seizures in rats
W. McIntyre Burnham, G.A. Cottrell, D. Diosy and R.J. Racine (Canada) 180

(contents continued on p. 290)

0006-8993(19951106)698:1/2;1-9

Zhang, R.L., see Zhang, Z.G. (698) 79
Zhang, Z.G., Chopp, M., Tang, W.X., Jiang, N. and Zhang, R.L.
Postischemic treatment (2–4 h) with anti-CD11b and anti-CD18 monoclonal antibodies are neuroprotective after transient (2 h) focal cerebral ischemia in the rat (698) 79
Zhen, S. and Gallo, R.V.
The role of norepinephrine in mediating luteinizing hormone release in response to blockade of κ-opioid receptors in the medial preoptic area (698) 121
Zochodne, D.W., Murray, M.M., Van der Sloot, P. and Riopelle, R.J.
Distal tibial mononeuropathy in diabetic and nondiabetic rats reared on wire cages: an experimental entrapment neuropathy (698) 130

(contents continued)

Serotonin and stress-induced increases in renin secretion are not blocked by sympathectomy/adrenal medullectomy but are blocked by β antagonists
K.D. Richardson Morton, M.D. Johnson and L.D. Van de Kar (USA) 185
The excitability of CA1 pyramidal cell dendrites is modulated by a local Ca^{2+}-dependent K^+-conductance
M. Andreasen and J.D.C. Lambert (Denmark) 193

Short communications

DOI, a 5-$HT_{2A/2C}$ receptor agonist, potentiates amphetamine-induced dopamine release in rat striatum
J. Ichikawa and H.Y. Meltzer (USA) 204
Immunodetection of the large form of the γ_2 subunit of mammalian $GABA_A$ receptor
I. San Juan, J.M. Alonso, S. Ovalle, A. Negro, M.A. Chinchetru and P. Calvo (Spain) 209
L-DOPA inhibits spontaneous acetylcholine release from the striatum of experimental Parkinson's model rats
H. Ueda, K. Sato, F. Okumura and Y. Misu (Japan) 213
Apolipoproteins E3 and E4 induce, and transthyretin prevents accumulation of the Alzheimer's β-amyloid peptide in cultured vascular smooth muscle cells.
B. Mazur-Kolecka, J. Frackowiak and H.M. Wiśniewski (USA, Poland) 217
Disease and anatomic specificity of ethanolamine plasmalogen deficiency in Alzheimer's disease brain
L. Ginsberg, S. Rafique, J.H. Xuereb, S.I. Rapoport and N.L. Gershfeld (UK, USA) 223
Neuropeptide Y injection into the fourth cerebroventricle stimulates c-Fos expression in the paraventricular nucleus and other nuclei in the forebrain: effect of food consumption
B. Xu, B.-H. Li, N.E. Rowland and S.P. Kalra (USA) 227
Hypovolaemic and osmotic stimuli induce distinct patterns of c-Fos expression in the rat subfornical organ
D.W. Smith and T.A. Day (Australia) 232
Lowered brain glutathione by diethylmaleate decreased the glutamate release induced by cerebral ischemia in anesthetized rats
C.-S. Yang, N.-N. Lin, L. Liu, P.-J. Tsai and J.-S. Kuo (R.O.C.) 237
Alterations of the thalamo-cortical system in rats prenatally exposed to ethanol are prevented by concurrent administration of acetyl-L-carnitine
M. Santarelli, A. Granato, A. Sbriccoli, G. Gobbi, L. Janiri and D. Minciacchi (Italy) 241
Tamoxifen treatment of ovariectomized mice alters dopamine release from striatal tissue fragments superfused in vitro
J.L. McDermott, B. Liu and D.E. Dluzen (USA) 248
Dendritic spine density of NADPH diaphorase reactive neurons in the medial prefrontal cortex (mPFC) of the rat
P.L.A. Gabbott, B.G.M. Dickie and S.J. Bacon (UK) 253
Corticotropin releasing factor binding protein (CRF-BP) is expressed in neuronal and astrocytic cells
D.P. Behan, D. Maciejewski, D. Chalmers and E.B. De Souza (USA) 259
Allocation of perineuronal nets and parvalbumin-, calbindin-D_{28k}- and glutamic acid decarboxylase-immunoreactivity in the amygdala of the rhesus monkey
W. Härtig, G. Brückner, K. Brauer, C. Schmidt and V. Bigl (Germany) 265
β-$Amyloid_{(1-42)}$ affects cholinergic but not parvalbumin-containing neurons in the septal complex of the rat
T. Harkany, G.I. De Jong, K. Soós, B. Penke, P.G.M. Luiten and K. Gulya (Hungary, The Netherlands) 270
Reduced binding of oxytocin in the rat brain during aging
Y. Arsenijevic, J.J. Dreifuss, P. Vallet, A. Marguerat and E. Tribollet (Switzerland) 275
Single striatofugal axons arborizing in both pallidal segments and in the substantia nigra in primates
A. Parent, A. Charara and D. Pinault (Canada) 280
Novel protective effect of manganese against ferrous citrate-induced lipid peroxidation and nigrostriatal neurodegeneration in vivo
I. Sziráki, P. Rauhala and C.C. Chiueh (USA) 285

Author Index 288